

Дата: 16.10.2020

Группа: 201Ф

Специальность: Лечебное дело

Тема: Common findings on examination

Цель: Расширение тематического словаря, изучение методов тестирования общего состояния пациента.

Ход занятия:

- 1) приветствие, орг.моменты, знакомство
- 2) Работа с новыми выражениями
- 3) Обсуждение материала лекций
- 4) Завершение занятия (домашнее задание)

It is of little value.

It is not of little value.

These sentences are not of little value.

These questions are not of little value.

Bulging of the liver is dangerous.

Liver is in the right hypochondriac.

Spleen is in the left hypochondria.

Fullness in the epigastrium is a symptom of stomach problems.

Fullness in the cheek is a symptom of tooth problems.

Costal margin is between the chest and the abdomen.

Costal margin is made of ribs.

These muscles are of good tone.

His muscles are of good tone.

Her muscles are of good tone.

Contours of the heart are wrong.

Contours of the liver are wrong.

Contours of the kidney are wrong.

There is tenderness in the epigastrium.

There is tenderness in the abdomen.

There is tenderness in the chest.

Median line is the vertical centre of the body.

Hepatomegaly is enlargement of the liver.

Hepatic area is the right hypochondria.

Hepatic area is to the right of the median line.

Unconstrained position is very comfortable.

Head is somewhat elevated.

He has muscular rigidity.

She has muscular rigidity.

Lateral surface is examined.

Anterior surface is examined.

Posterior surface is examined.

It is examined anteriorly.

It is examined laterally.

It is examined posteriorly.

The picture is exposed to a strong light.

It is exposed to the sun.

It is exposed to the high temperature.

Recumbent posture is very comfortable.

Recumbent posture is for sick people.

**Домашнее задание: Заполнить пропуски верными словами из предложенных:**

1) large, adult, thin, enlarged, percussion, vary, prevents, palpation, normal.

1. When the liver is greatly ... there may be bulging of the lower ribs in the right hypochondrium and fullness in the epigastrium.

2. In a young child or in a thin adult it is sometimes possible to feel the sharp lower border of the ... liver.

3. Muscular development ... palpation of the lower hepatic border.

4. Palpation of the liver supplemented by ... demonstrates its contour, consistency and size.

5. ... of the liver reveals whether tenderness is present.

6. The contour and the consistency of the liver ... in different diseases.

7. In the young child the liver is disproportionately ....

8. In the ... three quarters of the liver lie to the right of the median line.

**2) surface, patient, rhythm, avoided, behind, rate, compared, musculature**

1. The ... must be in a natural and unconstrained position.

2. Muscular rigidity should be carefully ... .

3. When the lateral ... of the chest is inspected, the patient's hands should be clasped behind his head.

4. The colour of the skin, general development, ... are to be noted.

5. The regions of the one side are ... with the corresponding regions on the opposite side.

6. The respirator ... and ... should be observed.